

Scaffolding couplers

Basic Information



Product Specification

Our Product Introduction

for more products please visit us on bythaiscaffold.com

Product Description

Scaffolding couplers

Product Details

Scaffolding coupler are widely used in tubular systems and other scaffolding systems, it connect steel pipes with steel pipes or boards, girders, ladders, etc.

Standard:EN74/BS1139

manufacturing process:drop forged.pressed.casting.

Materials:Q235

Surface:Ele-galvanized,hot-dipped galvanized

STYLE:British-style,Japanese-style,Korea-style,American-style,German-style.

Technical Data for Coupler

Name	Weight(kg)	Size(mm)	Surface	manufacturing process	Material	Standard
Double coupler	0.98	48.3*48.3	Electro-galvanized	Drop Forged	Q235 Steel	EN74
Swivel coupler	1.15	48.3*48.3	Electro-galvanized	Drop Forged	Q235 Steel	EN74
Board retaining coupler	0.63	48.3	Electro-galvanized	Drop Forged	Q235 Steel	EN74
Sleeve coupler	1.00	48.3*48.3	Electro-galvanized	Pressed		





Bythai Scaffolding Co.,Ltd



17300780862



info@bythaiscaffolding.com



bythaiscaffold.com

No. 605,Industrail Exchange Center ,Huanghai Town Changsha Hunan China