

American 1700mm 1219 Painted Galvanized Steel Ladder Frame Scaffolding Frame Ladder Frame

Our Product Introduction

for more products please visit us on bythaiscaffold.com

Basic Information

- Place of Origin: China
- Brand Name: Bythai
- Certification: SGS ISO
- Model Number: BT205
- Minimum Order Quantity: 1000
- Price: 10.5-35.5
- Packaging Details: In bundles
- Delivery Time: 10-15
- Payment Terms: TT/TC



Product Specification

- Material: Q235
- Color: Steel/Spray Plastic
- Arrival Time: 10-15
- Shipping Origin: China
- Size: Customized
- Load Capacity: High
- Highlight: **Scaffolding Steel Ladder Frame,
1700mm Steel Ladder Frame,
Painted Galvanized Steel Ladder Frame**



Product Description:

The Frame System Scaffolding, constructed from high-quality Q235 material, is an innovative solution designed to meet the various demands of construction, renovation, and maintenance projects. This robust scaffolding system provides a secure and stable working platform, ensuring the safety and efficiency of the workforce operating at various heights. The Q235 steel used in manufacturing is known for its excellent structural stability and strength, making the Frame System Scaffolding capable of withstanding high loads, which is crucial for the safety of construction environments.

One of the key features of the Frame System Scaffolding is its versatile portal frame shoring system. This system comprises a series of interconnected frames that create a secure and resilient structure. The portal frame design is not only sturdy but also allows for quick and easy assembly and disassembly, saving valuable time on the job site. The frame upright, or vertical component of the scaffolding, is engineered to offer maximum load-bearing capacity, thereby ensuring the high load capacity that is essential for supporting workers, tools, and materials.

With a focus on adaptability, the Frame System Scaffolding is available in various sizes that can be customized to fit the specific requirements of any project. This customization ensures that the scaffolding can be tailored to various architectural designs and structural complexities, providing a perfect fit for any construction site. Whether it's a small-scale renovation or a large building project, the Frame System Scaffolding can be adjusted to meet the exact specifications needed for efficient and safe operations.

The color of the Frame System Scaffolding is a standard steel color, which can be enhanced with a spray plastic coating. This coating not only improves the aesthetics of the scaffolding but also provides an additional layer of protection against corrosion, extending the lifespan of the structure. The spray plastic finish can also be customized to match the color schemes of different projects or to conform to safety standards and visibility requirements on the construction site.

Technical Parameters:

| Technical Parameter | Specification |
|---------------------|---------------------|
| Shipping Origin | China |
| Size | Customized |
| Arrival Time | 10-15 Days |
| Load Capacity | High |
| Material | Q235 Steel |
| Color | Steel/Spray Plastic |



For shipping, the packaged components are carefully loaded onto pallets, with the heavier items placed at the bottom to create a stable base. The pallets are then shrink-wrapped and strapped to minimize movement and potential damage during handling. A detailed packing list is attached to each pallet, outlining the contents for efficient unloading and inventory management at the destination. All Frame System Scaffolding shipments are dispatched with reputable carriers, ensuring timely and reliable delivery to the specified location. Tracking information is provided to the customer for real-time updates on the shipping progress. Special care is taken to comply with all regulatory shipping standards and requirements for the safe transport of the scaffolding materials.



Bythai Scaffolding Co.,Ltd



17300780862



info@bythaiscaffolding.com



bythaiscaffold.com

No. 605,Industrail Exchange Center ,Huanghua Town Changsha Hunan China